

## Safety Data Sheet

SECTION 1: Identification of the substance/mixture and of the company/undertaking

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 9/3/2018 Revision date: 10/23/2020 Version: 3.0

#### 1.1. Product identifier

Product form : Mixture

Trade name : BONDA HARDENER TUBES (RED)

UFI : AFC9-40P9-5004-74HQ

Product code : BON02102
Type of product : Paste
Product group : End product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Intended for general public

Main use category : Professional use
Use of the substance/mixture : Catalyst
Function or use category : 55/999 Others

#### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

SupplierDistributorBondaglass Voss LtdExcellence LtdRustins Ltd43 Grange Parade,

Waterloo road Unit 43

NW2 7TX London Baldoyle Industrial Estate, United Kingdom D13 Y860 Dublin

T +44 (0)208 450 4666 , F +44 (0)208 452 2008 Ireland

rustins@rustins.co.uk, rustins.ltd

T 00353 (0)1 8323300, F 00353 (0)1 8323584

Orders@excellence.ie, www.excellence.ie

## 1.4. Emergency telephone number

Emergency number : +44 (0)208 450 4666

OFFICE HOURS ONLY MON. - FRI. 08:00 - 16.30

Country/Area	Organisation/Company	Address	Emergency number	Comment
Ireland	National Poisons Information Centre Beaumont Hospital	PO Box 1297 Beaumont Road 9	+353 1 809 2566 (Healthcare professionals- 24/7) +353 1 809 2166 (public, 8am - 10pm, 7/7)	
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH	0344 892 0111	Only for healthcare professionals

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Flammable liquids, Category 2

Acute toxicity (oral), Category 4

Serious eye damage/eye irritation, Category 2

Skin sensitisation, Category 1

H317

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific target organ toxicity - Single exposure, Category 3, H336

Narcosis

Hazardous to the aquatic environment – Acute Hazard, H400

Category 1

Hazardous to the aquatic environment - Chronic Hazard, H410

Category 1

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

May cause drowsiness or dizziness. Harmful if swallowed. May cause an allergic skin reaction. Causes serious eye irritation. Very toxic to aquatic life with long lasting effects.

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







: Danger

Signal word (CLP)

Contains DIBENZOYL PEROXIDE; DIALLYL PHTHALATE; MEK

Hazard statements (CLP) H225 - Highly flammable liquid and vapour.

H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction. H319 - Causes serious eye irritation.

H336 - May cause drowsiness or dizziness. H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P233 - Keep container tightly closed.

P241 - Use explosion-proof electrical/ventilating/lighting equipment.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

P302+P352 - IF ON SKIN: Wash with plenty of water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water .

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTRE or doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P330 - Rinse mouth.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use media other than water to extinguish.

P391 - Collect spillage.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

10/23/2020 (Revision date) GB - en 2/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
MEK	CAS-No.: 78-93-3 EC-No.: 201-159-0 REACH-no: 01-2119457290- 43	≥ 50 - < 55	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336
DIBENZOYL PEROXIDE	CAS-No.: 94-36-0 EC-No.: 202-327-6 EC Index-No.: 617-008-00-0	≥ 25 - < 30	Org. Perox. B, H241 Eye Irrit. 2, H319 Skin Sens. 1, H317
DIALLYL PHTHALATE	CAS-No.: 131-17-9 EC-No.: 205-016-3 EC Index-No.: 607-086-00-4	≥ 25 – < 30	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : May cause drowsiness or dizziness.

Symptoms/effects after inhalation : Dust of the product, if present, may cause respiratory irritation after an excessive inhalation

exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.

May acuse an ellergic old reaction

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Eye irritation.

Symptoms/effects after ingestion : None under normal conditions.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Unsuitable extinguishing media : Do not use a heavy water stream.

10/23/2020 (Revision date) GB - en 3/12

### Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 5.2. Special hazards arising from the substance or mixture

Fire hazard : No fire hazard.

Explosion hazard : No direct explosion hazard. Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Firefighting instructions : Fight fire from safe distance and protected location. Do not enter fire area without proper

protective equipment, including respiratory protection.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent

material damage.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact

with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

Emergency procedures : Evacuate unnecessary personnel.

#### 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Mechanically recover the product.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapours/spray. Avoid contact with skin and eyes. Wear personal

protective equipment.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Keep in a cool, well-ventilated place away from heat.

Storage conditions : Store locked up. Store in a well-ventilated place. Keep container tightly closed. Packaging materials : Store always product in container of same material as original container.

### 7.3. Specific end use(s)

No additional information available

10/23/2020 (Revision date) GB - en 4/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### 8.1.1 National occupational exposure and biological limit values

BONDA HARDENER TUBES (RED)				
Ireland - Occupational Exposure Limits				
Local name Diallyl phthalate				
OEL TWA	5 mg/m³			
	200 ppm			
OEL STEL	900 mg/m³			
	300 ppm			
Remark	Sk (Substances which have the capacity to penetrate intact skin when they come in contact with it, and be absorbed into the body), IOELV (Indicative Occupational Exposure Limit Values)			
Regulatory reference	Chemical Agents Code of Practice 2021			

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

## 8.2.2. Personal protection equipment

## Personal protective equipment:

Gloves.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

#### 8.2.2.2. Skin protection

## Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Solid
Colour : red.
Appearance : Paste.
Molecular mass : > g/mol

Odour : Characteristic odour.
Odour threshold : Not available

Melting point : 104

Freezing point : > Not applicable
Boiling point : > 75 °C
Flammability : Non flammable.
Lower explosion limit : Not applicable

Lower explosion limit : Not applicable
Upper explosion limit : Not applicable
Flash point : -4 °C

Auto-ignition temperature : No data available.

Decomposition temperature : Not available pH : 7

pH solution : Not available Viscosity, kinematic : Not applicable

Solubility : Material insoluble in water.

Partition coefficient n-octanol/water (Log Kow) : Not available
Vapour pressure : 100 hPa at 20degC
Vapour pressure at 50°C : Not available
Density : Not available
Relative density : 0.87@20degC
Relative vapour density at 20°C : No data available.
Particle size : Not available

## 9.2. Other information

#### 9.2.1. Information with regard to physical hazard classes

No additional information available

## 9.2.2. Other safety characteristics

No additional information available

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Harmful if swallowed.
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

<b>BONDA HARDENER TUBES (RED</b>	BOND	A HARD	<b>ENER T</b>	UBES	(RED
----------------------------------	------	--------	---------------	------	------

ATE CLP (oral) 2000 mg/kg bodyweight

Skin corrosion/irritation : Not classified

pH: 7

Serious eye damage/irritation : Causes serious eye irritation.

pH: 7

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

### MEK (78-93-3)

STOT-single exposure May cause drowsiness or dizziness.

STOT-repeated exposure : Not classified
Aspiration hazard : Not classified

## **BONDA HARDENER TUBES (RED)**

Viscosity, kinematic Not applicable

#### 11.2. Information on other hazards

No additional information available

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Very toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short–term : Very toxic to aquatic life.

acute

Hazardous to the aquatic environment, long-term : Very toxic to aquatic life with long lasting effects.

(chronic)

## 12.2. Persistence and degradability

## **BONDA HARDENER TUBES (RED)**

Persistence and degradability

Not rapidly degradable

10/23/2020 (Revision date) GB - en 7/12

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

DIBENZOYL PEROXIDE (94-36-0)			
Persistence and degradability  Not rapidly degradable			
DIALLYL PHTHALATE (131-17-9)			
Persistence and degradability Not rapidly degradable			
MEK (78-93-3)			
Persistence and degradability Not rapidly degradable			

### 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

#### 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Endocrine disrupting properties

No additional information available

#### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Regional waste regulation

Waste treatment methods

Sewage disposal recommendations

Product/Packaging disposal recommendations

: Disposal must be done according to official regulations.

Dispose of contents/container in accordance with licensed collector's sorting instructions.

Disposal must be done according to official regulations.

: Comply with applicable regulations for solid waste disposal. Disposal must be done

according to official regulations.

Additional information : Do not re-use empty containers.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID		
14.1. UN number or ID number						
UN 3108	UN 3108	UN 3108	UN 3108	UN 3108		
14.2. UN proper shippin	g name					
ORGANIC PEROXIDE TYPE E, SOLID ORGANIC PEROXIDE TYPE E, SOLID		Organic peroxide type E, solid	ORGANIC PEROXIDE TYPE E, SOLID	ORGANIC PEROXIDE TYPE E, SOLID		
Transport document descr	iption					
UN 3108 ORGANIC PEROXIDE TYPE E, SOLID, 5.2, (D), ENVIRONMENTALLY HAZARDOUS	UN 3108 ORGANIC PEROXIDE TYPE E, SOLID, 5.2, MARINE POLLUTANT/ENVIRONME NTALLY HAZARDOUS	UN 3108 Organic peroxide type E, solid, 5.2, ENVIRONMENTALLY HAZARDOUS	UN 3108 ORGANIC PEROXIDE TYPE E, SOLID, 5.2, ENVIRONMENTALLY HAZARDOUS	UN 3108 ORGANIC PEROXIDE TYPE E, SOLID, 5.2, ENVIRONMENTALLY HAZARDOUS		

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

ADR	IMDG	IATA	ADN	RID			
14.3. Transport hazard class(es)							
5.2	5.2	5.2	5.2	5.2			
5.2	5.2	5.2	5.2	5.2			
14.4. Packing group							
Not applicable Not applicable		Not applicable	Not applicable	Not applicable			
14.5. Environmental haz	ards						
Dangerous for the environment: Yes Marine pollutant: Yes		Dangerous for the environment: Yes	Dangerous for the environment: Yes	Dangerous for the environment: Yes			
No supplementary information available							

### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : P1 Special provisions (ADR) 122, 274 Limited quantities (ADR) 500g Excepted quantities (ADR) E0 Packing instructions (ADR) : P520 Mixed packing provisions (ADR) : MP4 Transport category (ADR) 2 Special provisions for carriage - Packages (ADR) : V1

Special provisions for carriage - Loading, unloading : CV15, CV22, CV24

and handling (ADR)

Tunnel restriction code (ADR) : D
EAC code : 1W

#### Transport by sea

Special provisions (IMDG) : 122, 274 Limited quantities (IMDG) : 500 g Excepted quantities (IMDG) : E0 Packing instructions (IMDG) : P520 EmS-No. (Fire) : F-J EmS-No. (Spillage) : S-R Stowage category (IMDG) : D Stowage and handling (IMDG) : SW1

Segregation (IMDG) : SG35, SG36, SG72

Properties and observations (IMDG) : Decomposes at elevated temperatures or in a fire. Burns vigorously. Insoluble in water. Contact with the eyes and skin should be avoided. May evolve irritant or toxic fumes.

#### Air transport

PCA Excepted quantities (IATA) : E0 : Forbidden PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : Forbidden PCA packing instructions (IATA) : 570 PCA max net quantity (IATA) : 10kg CAO packing instructions (IATA) : 570 CAO max net quantity (IATA) : 25kg Special provisions (IATA) : A20, A802 ERG code (IATA) : 5L

#### **Inland waterway transport**

Classification code (ADN) : P1

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN) : 122, 274
Limited quantities (ADN) : 500 g
Excepted quantities (ADN) : E0
Equipment required (ADN) : PP, EX, A
Ventilation (ADN) : VE01
Number of blue cones/lights (ADN) : 0

#### Rail transport

Classification code (RID) : P1 Special provisions (RID) 122, 274 Limited quantities (RID) 500g Excepted quantities (RID) : E0 Packing instructions (RID) · P520 Mixed packing provisions (RID) : MP4 2 Transport category (RID) Special provisions for carriage – Packages (RID) : W7

Special provisions for carriage - Loading, unloading : CW22, CW24, CW29

and handling (RID)

Colis express (express parcels) (RID) : CE10 Hazard identification number (RID) : 539

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

#### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

## **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### **PIC Regulation (Prior Informed Consent)**

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

#### **Dual-Use Regulation (428/2009)**

Contains no substance subject to the COUNCIL REGULATION (EC) No 428/2009 of 5 May 2009 setting up a Community regime for the control of exports, transfer, brokering and transit of dual-use items.

### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### **Drug Precursors Regulation (273/2004)**

Contains substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

Name	CN designation	CAS-No.	CN code	Category, Subcategory	Threshold	Annex
	Butanone	78-93-3	2914 12 00	Category 3		Annex I

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

Abbreviations and acr	onyms:
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified

## Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Abbreviations and acronyms:	
vPvB Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties

Full text of H- and EUI	Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 2	Flammable liquids, Category 2		
H225	Highly flammable liquid and vapour.		
H241	Heating may cause a fire or explosion.		
H302	Harmful if swallowed.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H336	May cause drowsiness or dizziness.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
Org. Perox. B	Organic Peroxides, Type B		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.