

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 25/04/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

402/G115 - METALCOTE TYEL and TRED BASES FOR TINTING Product name

HEL YYVP-920K-T00Y-672J

Product code 11072 Type of product : Paint · Blend Product group

Other means of identification 402/G115/ Y and R BASES

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

No additional information available

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

Teal & Mackrill Ltd Lockwood Street Hull - East Yorkshire HU2 0HN

England

T +44 (0)1482 320194

info@teamac.co.uk

Distributor

Teal & Mackrill EU B.V. **Queens Towers** Delflandlaan 1 1062 EA Amsterdam

Netherlands

T +31 (0)208 004828 info@teamac.co.uk

1.4. Emergency telephone number

Emergency number : +44 (0) 1482 320194 Teamac (08.30 - 16.30 hrs Mon - Thurs, 08.30 - 15.00 hrs Fri)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

H226 Flammable liquids, Category 3 Specific target organ toxicity - Single exposure, Category 3, Narcosis H336 H412 Hazardous to the aquatic environment - Chronic Hazard, Category 3

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS02

GHS07

Signal word (CLP)

: Warning Contains

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics; HYDROCARBONS,

C9, AROMATICS

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Hazard statements (CLP) : H226 - Flammable liquid and vapour.

H336 - May cause drowsiness or dizziness.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P271 - Use only outdoors or in a well-ventilated area.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements : EUH208 - Contains C18-unsatd, dimers, compds. with coco alkylamines (68647-95-0)

(20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an

allergic reaction.

EUH066 - Repeated exposure may cause skin dryness or cracking.

2.3. Other hazards

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC-No.: 919-857-5 REACH-no: 01-2119463258- 33	≥ 50 - < 80	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304
C.I. Pigment Yellow substance with national workplace exposure limit(s) (GB)	CAS-No.: 6358-31-2 EC-No.: 228-768-4	≥ 1 – < 5	Not classified
HYDROCARBONS, C9, AROMATICS substance with national workplace exposure limit(s) (GB)	CAS-No.: 64742-95-6 EC-No.: 918-668-5 REACH-no: 01-2119455851- 35	≥1-<5	Flam. Liq. 3, H226 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
NEODECANOATE ACID, COBALT SALT substance with national workplace exposure limit(s) (GB)	CAS-No.: 27253-31-2 EC-No.: 248-373-0	<1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Sens. 1, H317 Repr. 2, H361f Aquatic Chronic 3, H412
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics substance with national workplace exposure limit(s) (GB)	EC-No.: 918-481-9 REACH-no: 01-2119457273- 39	< 1	Asp. Tox. 1, H304
C18-unsatd., dimers, compds. with coco alkylamines	CAS-No.: 68647-95-0 REACH-no: 01-2120099181- 55	<1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Strontium bis(2-ethylhexanoate)	CAS-No.: 2457-02-5 EC-No.: 219-536-3 REACH-no: 01-2120783571-	<1	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Repr. 2, H361
Dipropylene Glycol Methyl Ether substance with national workplace exposure limit(s) (GB)	CAS-No.: 34590-94-8 EC-No.: 252-104-2 REACH-no: 01-2119450011- 60	< 1	Not classified
ETHANOL substance with national workplace exposure limit(s) (GB)	CAS-No.: 64-17-5 EC-No.: 200-578-6 REACH-no: 01-2119457610- 43	< 1	Flam. Liq. 2, H225 Eye Irrit. 2, H319
METHANOL substance with national workplace exposure limit(s) (GB)	CAS-No.: 67-56-1 EC-No.: 200-659-6	< 1	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 3 (Inhalation), H331 (ATE=0.5 mg/l/4h) STOT SE 1, H370

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person.

First-aid measures after inhalation : Move the affected person away from the contaminated area and into the fresh air. Get medical advice/attention if you feel unwell.

First-aid measures after skin contact : After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid measures after ingestion : Do not induce vomiting. Get medical advice/attention.

25/04/2023 (Issue date) GB - en 3/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Get medical attention if symptoms occur after washing.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2).

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

Explosion hazard : Vapours may form explosive mixture with air.

5.3. Advice for firefighters

Precautionary measures fire : Eliminate all ignition sources if safe to do so.

Firefighting instructions : Use water spray or fog for cooling exposed containers. Prevent fire fighting water from

entering the environment.

Protection during firefighting : Use self-contained breathing apparatus and chemically protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No open flames. No smoking.

6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Do not breathe vapours. Avoid contact with skin and eyes.

6.1.2. For emergency responders

No additional information available

6.2. Environmental precautions

Avoid release to the environment. Prevent liquid from entering sewers, watercourses, underground or low areas. Notify authorities if product enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

For containment : Cover spill with non combustible material, e.g.: sand, earth, vermiculite.

Methods for cleaning up : Collect spillage. This material and its container must be disposed of in a safe way, and as

per local legislation.

6.4. Reference to other sections

See Section 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : The Manual Handling Oper

: The Manual Handling Operations Regulations may apply to the handling of containers of this product. To assist employers, the following method of calculating the weight for any pack size is given. Take the pack size volume in litres and multiply this figure by the specific gravity value given in section 9. This will give the net weight of the coating in kilograms. Allowance will then have to be made for the immediate packaging to give an approximate gross weight.

25/04/2023 (Issue date) GB - en 4/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Precautions for safe handling

: Keep away from sources of ignition - No smoking. Avoid contact with skin and eyes. Do not breathe vapours. Do not eat, drink or smoke when using this product.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures

: The storage and use of this product is subject to the Dangerous Substances and Explosive Atmospheres Regulations (DSEAR). The requirements are given in the HSE Approved Code of Practice and Guidance, Storage of Dangerous Substances: DSEAR. Up to 250 litres of liquids with a flashpoint above 32C but below 55C may be kept in a workroom provided they are kept in closed containers in a marked, fire-resisting cupboard or bin. Larger quantities must be kept in a separate, marked storeroom conforming to the structural requirements contained in the HSE guidance note Storage of Flammable Liquids in Containers.

Storage conditions : Keep container tightly closed. Keep only in original container.

Incompatible products : Oxidizing agent. Strong acids.

Storage temperature : 5-25 °C

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

METHANOL (67-56-1)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	266 mg/m³	
WEL TWA (OEL TWA) [2]	200 ppm	
WEL STEL (OEL STEL)	333 mg/m³	
WEL STEL (OEL STEL) [ppm]	250 ppm	
ETHANOL (64-17-5)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	1920 mg/m³	
WEL TWA (OEL TWA) [2]	1000 ppm	
C.I. Pigment Yellow (6358-31-2)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	1.5 mg/m³ Total Dust	
Dipropylene Glycol Methyl Ether (34590-94-8)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	308 mg/m³	
WEL TWA (OEL TWA) [2]	50 ppm	
NEODECANOATE ACID, COBALT SALT (27253-31-2)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	0.1 mg/m³	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HYDROCARBONS, C9, AROMATICS (64742-95-6)		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	19 mg/m³ (8 hour)	
WEL TWA (OEL TWA) [2]	100 ppm (8 hour)	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics		
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	1000 mg/m³	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Provide local exhaust or general room ventilation. Personal, workplace, environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Ensure the ventilation system is regularly maintained and tested.

8.2.2. Personal protection equipment

Personal protective equipment symbol(s):





8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Hand protection:

Gloves. Nitrile rubber gloves. As a general principal, exposure should be managed by means other than the provision of protective gloves. Permeation time: minimum >480min long term exposure; material / thickness [mm]: Breakthrough time: refer to the recommendations of the supplier

Other skin protection

Materials for protective clothing:

Use protective clothing

8.2.2.3. Respiratory protection

Respiratory protection:

In case of inadequate ventilation wear respiratory protection.

8.2.2.4. Thermal hazards

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Colour : Yellow. or. red.

Appearance : Viscous liquid. Coloured liquid.

Odour Not available Not available Odour threshold Melting point Not available Freezing point Not available **Boiling point** : Not available Flammability : Not available Explosive limits : Not available Lower explosion limit : Not available Upper explosion limit : Not available

Flash point : 40 approx.°C Closed cup.

Auto-ignition temperature : Not available Decomposition temperature : Not available

pH : Technically not feasible.

Viscosity, kinematic $: > 20.5 \text{ mm}^2/\text{s}$ Viscosity, dynamic : 3 - 3.7 P @ 25°C Solubility : Insoluble. Partition coefficient n-octanol/water (Log Kow) : Not available Vapour pressure : Not available Vapour pressure at 50°C : Not available Density : Not available Relative density : 0.92 @ 20°C Relative vapour density at 20°C : Not available Particle characteristics : Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Avoid ignition sources. Avoid open fire or flames.

10.5. Incompatible materials

Acids. Oxidizing agent.

25/04/2023 (Issue date) GB - en 7/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.6. Hazardous decomposition products

Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)

 LD50 oral rat
 2010 mg/kg

 LD50 dermal rat
 5010 mg/kg

pH: Technically not feasible.

Not classified

HYDROCARBONS, C9, AROMATICS (64742-95-6)

pH Not available.

Serious eye damage/irritation : Not classified

pH: Technically not feasible.

HYDROCARBONS, C9, AROMATICS (64742-95-6)

pH Not available.

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified

STOT-single exposure : May cause drowsiness or dizziness.

METHANOL (67-56-1)

Skin corrosion/irritation

STOT-single exposure Causes damage to organs.

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

STOT-single exposure May cause drowsiness or dizziness.

HYDROCARBONS, C9, AROMATICS (64742-95-6)

STOT-single exposure May cause drowsiness or dizziness. May cause respiratory irritation.

STOT-repeated exposure : Not classified

C18-unsatd., dimers, compds. with coco alkylamines (68647-95-0)

STOT-repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard : Not classified

402/G115 - METALCOTE TYEL and TRED BASES FOR TINTING

Viscosity, kinematic > 20.5 mm²/s

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

Viscosity, kinematic ≤ 20.5 mm²/s

11.2. Information on other hazards

No additional information available

25/04/2023 (Issue date) GB - en 8/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 12: Ecological information

12.1. Toxicity

Ecology - water : May cause long lasting harmful effects to aquatic life.

: Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

Not rapidly degradable

: Harmful to aquatic life with long lasting effects.

12.2. Persistence and degradability

402/G115 - METALCOTE TYEL and TRED BASES FOR TINTING

Persistence and degradability The product is not expected to be biodegradable.

12.3. Bioaccumulative potential

402/G115 - METALCOTE TYEL and TRED BASES FOR TINTING

Bioaccumulative potential Not established.

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

402/G115 - METALCOTE TYEL and TRED BASES FOR TINTING

This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Other adverse effects

This product contains Volatile Organic Compounds (VOCs) which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Regional legislation (waste)

Sewage disposal recommendations

Product/Packaging disposal recommendations

Ecology - waste materials

European List of Waste (LoW) code

: Disposal must be done according to official regulations.

: Do not discharge into drains or rivers.

: a licensed hazardous-waste disposal contractor or collection site except for empty clean

containers which can be disposed of as non-hazardous waste.

: Avoid release to the environment.

: 08 01 11* - waste paint and varnish containing organic solvents or other dangerous

substances

15 01 02 - plastic packaging 15 01 04 - metallic packaging

25/04/2023 (Issue date) GB - en 9/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

HP Code

- : HP3 "Flammable:"
 - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
 - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
 - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
 - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
 - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
 - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.

HP5 - "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.

HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID n	umber			
UN 1263	UN 1263	UN 1263	UN 1263	Not applicable
14.2. UN proper shipping	g name			
PAINT / PAINT RELATED MATERIAL	PAINT	Paint	PAINT	Not applicable
Transport document descri	iption			
UN 1263 PAINT / PAINT RELATED MATERIAL, 3, III, (D/E)	UN 1263 PAINT, 3, III	UN 1263 Paint, 3, III	UN 1263 PAINT, 3, III	Not applicable
14.3. Transport hazard o	class(es)			
3	3	3	3	Not applicable
3	3	3	3	Not applicable
14.4. Packing group				
III	III	III	III	Not applicable
14.5. Environmental haz	ards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No	Not applicable
No supplementary informatio	n available			

14.6. Special precautions for user

Overland transport

Classification code (ADR) : F1

Special provisions (ADR) : 163, 367, 650

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

25/04/2023 (Issue date) GB - en 10/14

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T2
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBF
Vehicle for tank carriage : FL
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Operation (ADR) : S2
Hazard identification number (Kemler No.) : 30

Orange plates :

30 1263

Tunnel restriction code (ADR) : D/E EAC code : •3Y

Transport by sea

Special provisions (IMDG) : 163, 223, 367, 955

Limited quantities (IMDG) : 5 L : E1 Excepted quantities (IMDG) : P001, LP01 Packing instructions (IMDG) : PP1 Special packing provisions (IMDG) IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) T2 Tank special provisions (IMDG) TP1, TP29 : F-E EmS-No. (Fire) : S-E EmS-No. (Spillage) Stowage category (IMDG) Α

Properties and observations (IMDG) : Miscibility with water depends upon the composition.

Air transport

PCA Excepted quantities (IATA) : E1 : Y344 PCA Limited quantities (IATA) PCA limited quantity max net quantity (IATA) : 10L PCA packing instructions (IATA) : 355 PCA max net quantity (IATA) : 60L CAO packing instructions (IATA) : 366 CAO max net quantity (IATA) 220L Special provisions (IATA) : A3, A72, A192

ERG code (IATA) : 3L

Inland waterway transport

Classification code (ADN) : F1

Special provisions (ADN) : 163, 367, 650

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Equipment required (ADN) : PP, EX, A

Ventilation (ADN) : VE01

Number of blue cones/lights (ADN) : 0

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

: Commission Regulation (EU) 2015/830 of 28 May 2015 amending Regulation (EC) No 1907/2006. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 and all its amendments and modifications. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 and all its amendments and modifications.

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No additional information available

SECTION 16: Other information

Abbreviations and acronyms:		
CAS-No.	Chemical Abstract Service number	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008	
DNEL	Derived-No Effect Level	
IATA	International Air Transport Association	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006	
VOC	Volatile Organic Compounds	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Data sources

: Classification according to Classification, Labelling and Packaging of Substances and Mixtures (SEA) Regulation published in the Official Journal numbered 28848 on December 11, 2013. ECHA (European Chemicals Agency).

Acute Tox. 3 (Porial) Acute toxicity (idemail), Category 3 Acute Tox. 3 (Inhialation) Acute toxicity (irala), Category 3 Acute Tox. 4 (Inhialation) Acute toxicity (irala), Category 4 Acute Tox. 4 (Ora) Acute toxicity (irala), Category 4 Acute Tox. 4 (Ora) Acute toxicity (oral), Category 4 Aquatic Chronic 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Application of Provincial 2 Application to the aquatic environment – Chronic Hazard, Category 3 Application of Provincial 3 Aspiration hazard, Category 1 EUH086 Repeated exposure may cause skin dyness or cracking. EUH086 Repeated exposure may cause skin dyness or cracking. Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. 1 Serious eye damage/eye irritation, Category 2 Flam. 1 Palmambel liquids, Category 3 Hazzed Highly flammable liquid and vapour. Flam. 1 Palmambel liquid and vapour. Hazzed Highly flammable liquid and vapour. Hazzed Harmubel invaliaved. Hazzed Lauses serious	Full text of H- and EUI	I-statements:
Acute Tox. 3 (Oral) Acute toxicity (oral), Category 3 Acute Tox. 4 (Irnhalation) Acute toxicity (inhal.), Category 4 Acute Tox. 4 (Oral) Acute toxicity (inhal.), Category 4 Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 EUH066 Repeated exposure may cause skin dyness or cracking. EUH080 Contains C18-unsatd, dimers, compto, with coco alkylamines (68647-95-0) (20092), NEODECANOATE ACID, COSALT SALT (20753-31-2) (20013). May produce an allergo reaction. Eye Innt. 1 Serious eye damage/eye initiation, Category 1 Eye Innt. 1.1 Serious eye damage/eye initiation, Category 2 Flam. Liq. 2 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid scategory 3 H301 Toxic it swallowed. H302 Harmful if swallowed. H303 May be fatal if swallowed. H304 Guses serious eye damage. H318 <th< td=""><td>Acute Tox. 3 (Dermal)</td><td>Acute toxicity (dermal), Category 3</td></th<>	Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3
Acute Tox. 4 (Inhalation) Acute toxicity (inhalat), Category 4 Acute Tox. 4 (Oral) Acute Tox. 4 (Oral) Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Chronic 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Appl. Tox. 1 Aspiration hazard, Category 1 EUH066 Repeated exposure may cause skin dryness or cracking, EUH208 CORALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Senious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 2 Highly (flammable liquid and vapour. H301 H302 H478 H304 H304 H304 H304 H304 H304 H305 H306 H306 H307 H306 H307 H307 H307 H308 H307 H308 H307 H308 H307 H308 H308 H308 H308 H308 H308 H308 H308	Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 4 (Oral) Acute toxicity (oral), Category 4 Aquatic Acute 1 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds. with occo alkylamines (68647-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an altergic reaction. Eye Dam. 1 Eye Intit. 2 Serious eye damage/eye irritation, Category 1 Eye Intit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly tlammable liquid and vapour. H226 H3301 Toxic if swallowed. H3301 Toxic in contact with skin. H331 Toxic in contact with skin. H331 Toxic in contact with skin. H331 May cause an altergic skin reaction. H333 Harmful if inhaled. H333 Harmful if inhaled. H334 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause damage in reliation. H337 May cause damage in organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Aquatic Acute 1 Hazardous to the aquatic environment – Acute Hazard, Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds, with coco alkylamines (68647-85-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an altergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquid and vapour. H226 Flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harrful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye damage. H319 Causes serious eye damage. H319 May cause an allergic skin reaction. H330 May cause are respiratory irritation. H331 Toxic if inhaled. H332 Harrful if inhaled. H333 May cause damaging fertility or the unborn child. H336 Suspected of damaging fertility or the unborn child. H337 May cause damage to organs through prolonged or repeated exposure.	Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Aquatic Chronic 1 Hazardous to the aquatic environment – Chronic Hazard, Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds, with coro alkylamines (6847-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20013). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquid and vapour. H226 Flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye dramage. H319 Causes serious eye irritation. H330 May cause en allergic skin reaction. H331 Toxic if inhaled. H332 Harmful if inhaled. H333 May cause repiratory irritation. H336 May cause serious eye irritation. H337 May cause damaging fertility or the unborn child. H338 Suspected of damaging fertility or the unborn child. H337 May cause damage to organs through prolonged or repeated exposure.	Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Chronic 2 Hazardous to the aquatic environment – Chronic Hazard, Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 EUH086 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds. with occo alivylamines (68647-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H3001 Toxic if swallowed. H3004 May be fatal if swallowed. H3014 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H333 May cause for winess or dizziness. H335 May cause for damaging fertility or the unborn child. H336 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure.	Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 3 Hazardous to the aquatic environment – Chronic Hazard, Category 3 Asp. Tox. 1 Aspiration hazard, Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds, with occo alkylamines (68647-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed. H305 Causes skin irritation. H316 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H339 Harmful if inhaled. H333 May cause damaged and enters inhaled. H336 May cause damaged and enters. H337 May cause damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Asp. Tox. 1 Aspiration hazard, Category 1 EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds. with coco alkylamines (68647-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs. H373 May cause damage to organs through prolonged or repeated exposure.	Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
EUH066 Repeated exposure may cause skin dryness or cracking. EUH208 Contains C18-unsatd, dimers, compds. with occo alkylamines (68647-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquid and vapour. H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H333 May cause respiratory irritation. H336 May cause respiratory irritation. H337 May cause drowsiness or dizziness. H361 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs. H373 May cause damage to organs through prolonged or repeated exposure.	Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208 Contains C18-unsatd, dimers, compds. with coco alkylamines (88647-95-0) (20092), NEODECANOATE ACID, COBALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Filam. Liq. 2 Filammable iliquids, Category 2 Filam. Liq. 3 Filammable iliquids, Category 3 H225 Highly filammable liquid and vapour. H226 Filammable iliquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H316 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure.	Asp. Tox. 1	Aspiration hazard, Category 1
COBALT SALT (27253-31-2) (20313). May produce an allergic reaction. Eye Dam. 1 Serious eye damage/eye irritation, Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	EUH066	Repeated exposure may cause skin dryness or cracking.
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause respiratory irritation. H337 May cause domaging fertility or the unborn child. H336 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	EUH208	
Flam. Liq. 2 Flammable liquids, Category 2 Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H310 Toxic in contact with skin. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H333 May cause respiratory irritation. H336 May cause respiratory irritation. H337 May cause drowsiness or dizziness. H361 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3 Flammable liquids, Category 3 H225 Highly flammable liquid and vapour. H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H337 May cause drowsiness or dizziness. H338 Suspected of damaging fertility or the unborn child. H339 May cause damage to organs. H370 Causes damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Flam. Liq. 2	Flammable liquids, Category 2
H226 Flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H3332 Harmful if inhaled. H336 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	Flam. Liq. 3	Flammable liquids, Category 3
H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H225	Highly flammable liquid and vapour.
H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs through prolonged or repeated exposure. H373 May cause damage to organs through prolonged or repeated exposure.	H226	Flammable liquid and vapour.
H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H301	Toxic if swallowed.
H311 Toxic in contact with skin. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H302	Harmful if swallowed.
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H304	May be fatal if swallowed and enters airways.
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 Suspected of damaging fertility or the unborn child. H3611 Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H311	Toxic in contact with skin.
H318 Causes serious eye damage. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H315	Causes skin irritation.
H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H317	May cause an allergic skin reaction.
H331 Toxic if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H318	Causes serious eye damage.
H332 Harmful if inhaled. H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H319	Causes serious eye irritation.
H335 May cause respiratory irritation. H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H331	Toxic if inhaled.
H336 May cause drowsiness or dizziness. H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H332	Harmful if inhaled.
H361 Suspected of damaging fertility or the unborn child. H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H335	May cause respiratory irritation.
H361f Suspected of damaging fertility. H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H336	May cause drowsiness or dizziness.
H370 Causes damage to organs. H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H361	Suspected of damaging fertility or the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure. H400 Very toxic to aquatic life.	H361f	Suspected of damaging fertility.
H400 Very toxic to aquatic life.	H370	Causes damage to organs.
	H373	May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.
	H410	Very toxic to aquatic life with long lasting effects.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Repr. 2	Reproductive toxicity, Category 2	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1B	Skin sensitisation, category 1B	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	
STOT SE 1	Specific target organ toxicity – single exposure, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Narcosis	

The classification complies with : ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.